VMP 2012|2013 CATALOG

VIDEO MOUNT PRODUCTS

Satellite & Antenna Mounts Flat Panel Mounts Digital Signage Mounts Projector Mounts Equipment Racks & Accessories



NOTHING HOLDS UP BETTER

Video Mount Products *Mounting Systems For Video, Audio & Security... Nothing Holds Up Better*

About VMP

Since 1994, Video Mount Products (VMP) has been chosen by video, audio, custom install, security industry professionals and consumers alike. VMP's unmatched designs, famed reliability, and long term durability have become a staple for mounting applications across a wide variety of industries. During the past decade, VMP has embraced the widely recognized flat panel revolution by quickly updating and continually launching new flat panel mounts and accessories to grow alongside these ever evolving segments of the consumer and professional A/V markets. In 2012, VMP continues to be recognized as the mounting systems company of choice for those discerning professionals who demand variety in a product mix as well as requiring dependable mounts and accessories. VMP mounting systems are capable of holding a large variety of flat panels while incorporating numerous tilt and swivel capabilities to meet the needs of any and every customer and installation. VMP has never forgotten its roots and we continually offer and update our wide variety of mounting systems and accessories that proudly serve as VMP's core product foundation launched more than 18 years ago.

Customer satisfaction is VMP's number one goal. All VMP mounting systems are manufactured from tempered high grade steel and use durable powder coat finishes. VMP products carry a Forever Warranty as well as offer peace of mind and simple, quick installation. If your installation includes flat panels, projectors, CCTV systems, equipment racks or satellite and antenna systems in commercial or residential applications, VMP has the mounting solution for you. We look forward to continually serving the professional A/V industry with the products they need and the reliability they have come to trust from VMP. After 18 years, we are still proud to say that "Nothing Holds Up Better!"

TOLL FREE 877.281.2169 » TELEPHONE 410.643.6390 » WEBSITE VIDEOMOUNT.COM

NOTHING HOLDS UP BETTER

Video Mount Products Mounting Systems for Video, Audio & Security...Nothing Holds Up Better!

Table of Contents

4 » **Flat Panel Mounts**
- 4 Flush Wall Mounts
- 6 Flush Wall Mounts with Tilt
- 8 Articulating Wall Mounts
- 10 Ceiling Mounts
- 12 Specialized Mounts
- 13 Dual Mount Adaptors
- 14 Flat Panel Mount Adaptors

16 » **Digital Signage Mounts & Accessories**

18 » **Projector Mounts**

20 » **Equipment Racks & Accessories**
- 20 Racks
- 22 Shelves
- 25 Rack Accessories

28 » **Security Mounts**

30 » **Mounting Accessories**

36 » **Satellite & Antenna Mounts & Accessories**

40 » **DLP Mounts & Turntables**

41 » **Speaker Mounts**

42 » **Resources & Index**

VMP
VIDEO MOUNT PRODUCTS

NEED HELP CHOOSING THE RIGHT MOUNT FOR YOUR APPLICATION? WWW.CHOOSEAMOUNT.COM



WARNING The installer of these products must verify that the mounting surface, ceiling or wall, will safely support the combined weight of all attached equipment and hardware. Video Mount Products will not be held liable for the improper use or installation of its products.



FP-LFB *Large Flat Panel Flush Mount*

- Holds 42" – 70" flat panels
- Distance from wall to the back of the flat panel - 1.4"
- Maximum flat panel hole pattern – 850mm x 500mm
- Accommodates double gang box
- Load capacity – 180 lbs
- Black powder coat finish

FP-LF *Same as above except with silver finish*

FP-LFVB

Large Flat Panel Flush Mount - Open Architecture Design

- Holds 42" – 63" flat panels
- Maximum flat panel hole pattern – 890mm x 540mm
- Distance from wall to back of the flat panel – 0.85"
- Load capacity – 150 lbs
- Black powder coat finish

FP-LFV *Same as above except with silver finish*



FP-XMFB

Extra Medium Flat Panel Flush Mount-
Open Architecture Design

- Holds 32" – 52" flat panels
- Maximum flat panel hole pattern – 640mm x 430mm
- Distance from wall to back of the flat panel – 0.85"
- Load capacity – 150 lbs
- Black powder coat finish

FP-XMF *Same as above except with silver finish*

LCD-MID-FB *Mid-Size Flat Panel Flush Mount*

- Holds 27" – 42" flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Distance from wall to back of the flat panel – 1"
- Accommodates double gang box
- Load capacity – 125 lbs
- Black powder coat finish

LCD-MID-F *Same as above except with silver finish*



FP-MFB
Mid-Size Flat Panel Flush Mount - Open Architecture Design

- Holds 27" – 42" flat panels
- Maximum flat panel hole pattern – 440mm x 330mm
- Distance from wall to back of the flat panel – 0.7"
- Load capacity – 100 lbs
- Black powder coat finish

FP-MF *Same as above except with silver finish*



FP-SFB *Small Flat Panel Flush Mount*

- Holds 10" – 30" flat panels
- Accommodates flat panels with 75, 100, 200 and 100 x 200mm VESA hole patterns
- Quick connect/disconnect design
- Distance from wall to back of the flat panel – 0.5"
- Utilizes tamper resistant screws to provide extra security
- Load capacity – 50 lbs
- Black powder coat finish



PDS-LFTB *Large Flat Panel Flush Mount With Tilt*

- Holds 42" – 70" flat panels
- Maximum flat panel hole pattern – 850mm x 530mm
- Adjustable -5° to +15° tilt
- Distance from wall to back of the flat panel – 2.6"
- Load capacity – 180 lbs
- Black powder coat finish

PDS-LFT *Same as above except with silver finish*

FP-LDSB *Large Flat Panel Digital Signage Mount*

- Holds 32" – 63" flat panels in portrait or landscape
- Maximum flat panel hole pattern – 810mm x 530mm (810mm x 810mm with included extensions)
- Adjustable -5° to +15° tilt lockable in 5° increments
- Sectional wall plate can be integrated with multiple FP-LDSB's to create a video wall using DS-BP (For more information on DS-BP see pg.16)
- Distance from wall to back of the flat panel – 2.5" (2.6" with extensions)
- Load capacity – 180 lbs
- Black powder coat finish

FP-XMFTB
Extra Medium Flat Panel Flush Mount With Tilt

- Holds 32" – 52" flat panels
- Maximum flat panel hole pattern – 616mm x 400mm
- Adjustable -5° to +15° tilt
- Distance from wall to back of the flat panel – 2.3"
- Load capacity – 120 lbs
- Black powder coat finish

FP-XMFT *Same as above except with silver finish*

FP-MFTB
Multi-Just™ Mid-Size Flat Panel Flush Mount With Tilt

- Holds 27″ – 42″ flat panels
- Maximum flat panel hole pattern – 415mm x 345mm
- Adjustable -5° to +15° tilt
- Vertical height adjustment – 1″
- List adjustment – ±3°
- Installer friendly kickstand
- Distance from wall to back of the flat panel – 2.3″
- Load capacity – 100 lbs
- Black powder coat finish

LCD-MID-FTB *Mid-Size Flat Panel Flush Mount With Tilt*

- Holds 27″ – 42″ flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Distance from wall to back of the flat panel – 2.4″
- Adjustable -5° to +15° tilt
- Accommodates double gang box
- Load capacity – 100 lbs
- Black powder coat finish

LCD-MID-FT *Same as above except with silver finish*

FP-SFTB *Small Flat Panel Flush Mount With Tilt*

- Holds 10″ – 23″ flat panels
- Accommodates flat panels with 75 or 100mm VESA hole patterns
- Adjustable -5 to +15° tilt
- Distance from wall to back of the flat panel – 1.7″
- Utilizes tamper resistant hardware
- Load capacity – 25 lbs
- Black powder coat finish

FP-SFT *Same as above except with silver finish*

PDS-LWAB *Large Flat Panel Articulating Wall Mount*

- Holds 42" – 70" flat panels
- Maximum flat panel hole pattern – 950mm x 530mm
- Rotates 45° and has adjustable -5° to +15° tilt
- Depth 4" (Arms fully collapsed)
- Depth 24" (Arms fully extended)
- Includes cable management covers
- Load capacity - 180 lbs
- Black powder coat finish

PDS-LWA *Same as above except with silver finish*

FP-XMWAB
Extra Medium Flat Panel Articulating Wall Mount

- Holds 32" – 52" flat panels
- Maximum flat panel hole pattern – 800mm x 500mm
- Rotates 45° and has adjustable 0° to 15° tilt
- List adjustment – ±3°
- Depth 5.3" (arms fully collapsed)
- Depth 16.3" (arms fully extended)
- Mounting rails accept padlocks
- Clip based cable management system
- Load capacity - 130 lbs
- Black powder coat finish

FP-MWAB
Mid-Size Flat Panel Articulating Wall Mount

- Holds 24" – 37" flat panels
- Maximum flat panel hole pattern – 450mm x 400mm
- Rotates 45° and has adjustable ±15° tilt
- List adjustment – ±3°
- Depth 5.5" (arms fully collapsed)
- Depth 16.5" (arms fully extended)
- Mounting rails accept padlocks
- Clip based cable management system
- Load capacity - 80 lbs
- Black powder coat finish

LCD-2537B
Multi-Configurable Mid-Size Flat Panel Articulating Wall Mount

- Holds 25" – 32" flat panels
- Can be configured as a single arm, double arm or near flush mount with parts provided
- Accommodates flat panels with 75, 100, 200 and 100 x 200mm VESA hole patterns
- Adjustable -5° to +20° tilt
- Rotates 240° at the elbow joint (double arm configuration)
- Rotates 160° at the wall / Rotates 240° at the panel
- Feed through wall plate with decorative cover
- Clip based cable management system
- Load capacity - 50 lbs
- Black powder coat finish

LCD-2537 *Same as above except with silver finish*

LCD-1B
Multi-Configurable Small Flat Panel Articulating Wall Mount

- Holds 10" – 23" flat panels
- Can be configured as a single arm, double arm or near flush mount with parts provided
- Accommodates flat panels with 75 or 100mm VESA hole patterns
- Adjustable -5° to +20° tilt
- Rotates 240° at the elbow joint (double arm configuration)
- Rotates 160° at the wall / Rotates 240° at the panel
- Feed through wall plate with decorative cover
- Clip based cable management system
- Load capacity - 25 lbs
- Black powder coat finish

LCD-1 *Same as above except with silver finish*

Multi-Configuration Options

PDS-LCB *Large Flat Panel Ceiling Mount*

- Holds 37" - 70" flat panels
- Maximum flat panel hole pattern – 860mm x 500mm
- Mast telescopes 23" – 35"
- Rotates 360º / Adjustable 0º – 15º tilt
- Cable management through the center of the mast
- Load capacity - 180 lbs
- Black powder coat finish

PDS-LC *Same as above except with silver finish*

LCD-MID-CB *Mid-Size Flat Panel Ceiling Mount*

- Holds 27" – 42" flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Mast telescopes 23" – 35"
- Rotates 360° / Adjustable -5° to +20° tilt
- Cable management through the center of the mast
- Load capacity – 100 lbs
- Black powder coat finish

LCD-MID-C *Same as above except with silver finish*

LCD-MID-CHB
Mid-Size Flat Panel Ceiling Mount - Head Only

- Holds 27" – 42" flat panels
- Maximum flat panel hole pattern - 410mm x 340mm
- Rotates 360° / Adjustable -5° to +20° tilt
- Uses standard 1.5" NPT masting
- Load capacity – 100 lbs
- Black powder coat finish

LCD-2537CB *Mid-Size Flat Panel Ceiling Mount*

- Holds 25" – 37" flat panels
- Accommodates flat panels with 75, 100, 200 and 100 x 200 mm VESA hole patterns
- Mast telescopes 18" – 30"
- Rotates 360° (mast) / Rotates 240° (panel)
- Adjustable -5° to +20° tilt
- Includes clip based cable management system
- Load capacity - 75 lbs
- Black powder coat finish

LCD-2537C *Same as above except with silver finish*

LCD-1CB *Small Flat Panel Ceiling Mount*

- Holds 10" – 23" flat panels
- Accommodates flat panels with 75 or 100 mm VESA hole patterns
- Mast telescopes 17"– 27"
- Rotates 360° (mast) / Rotates 240° (panel)
- Adjustable -5° to +20° tilt
- Includes clip based cable management system
- Load capacity - 25 lbs
- Black powder coat finish

LCD-1C *Same as above except with silver finish*
LCD-1CW *Same as above except with white finish*

ER-LCD1017 *LCD Monitor Rack Mount*

- Holds monitors 10" – 17" or can be inverted to hold monitors up to 23" / Recesses monitor into rack
- Accommodates monitors with 75mm and 100mm VESA hole patterns / 9 space racking height
- Includes 10-32 and 12-24 rack screws
- Load capacity - 50 lbs
- Black static resistant powder coat finish

LCD-2B *Small Flat Panel Table/Desk Mount*

- Holds 10" – 23" flat panels
- Accommodates flat panels with 75 or 100mm VESA hole patterns
- Rotates 360° at base / Adjustable -5° to +30° tilt
- Force arm has adjustable 0° to 60° forward tilt
- Can be attached as a clamp-on or bolt through mount with parts provided
- Load capacity - 25 lbs / Black powder coat finish

LCD-2 *Same as above except with silver finish*

LCD-UC1 *LCD Under Cabinet Mount*

- Holds 10"– 17" flat panels
- Accommodates flat panels with 75 or 100mm VESA hole patterns
- Can be flipped up to store LCD when not in use
- 360° swivel for optimum viewing
- Load capacity – 20 lbs / Silver powder coat finish

NOTE: Cabinet depth may limit screen size

TT-LCD20B *Flat Panel Turntable*

- Platform width 20" / Platform depth 14"
- Load capacity – 75 lbs / Black finish

TT-LCD20S *Same as above except with silver finish*

PDS-LCM2B
Dual Large Flat Panel Ceiling Mount Adaptor

- Holds 37" – 70" flat panels
- Adapts PDS-LCB (sold separately) to accommodate 2 flat panels
- Maximum flat panel hole pattern – 860mm x 500mm
- Rotates 360° / Adjustable 0° – 15° tilt
- Combined load capacity of PDS-LCB and PDS-LCM2B – 380 lbs
- Black powder coat finish

Shown with PDS-LCB (not included)

LCD-MID-CM2B
Dual Mid-Size Flat Panel Ceiling Mount Adaptor

- Holds 27" – 42" flat panels
- Adapts LCD-MID-CB (sold separately) to accommodate 2 flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Adjustable -5° to +20° tilt
- Combined load capacity of LCD-MID-CB and LCD-MID-CM2B – 200 lbs
- Black powder coat finish

LCD-MID-CM2 *Same as above except with silver finish*

Shown with LCD-MID-CB (not included)

LCD-CM2
Dual Small Flat Panel Ceiling Mount Adaptor

- Holds 10" – 23" flat panels
- Adapts LCD-1C (sold separately) to accommodate 2 flat panels with 75 or 100mm VESA hole patterns
- Adjustable -5° to +20° tilt / Rotates 240° at flat panel
- Combined load capacity of LCD-CM2 and LCD-1C - 50 lbs
- Silver powder coat finish

Shown with LCD-1C (not included)

Flat Panel Mounts
Dual Mount Adaptors

Shown with two LCD-1's (not included)

LCD-WM2 *Dual Small Flat Panel Wall Mount Adaptor*

- Allows attachment of two LCD-1's (sold separately) to create side by side viewing
- Arm extends 11" from wall
- Load capacity - 50 lbs
- Silver powder coat finish

Shown with two LCD-1's (not included)

LCD-DM2 *Dual Small Flat Panel Desk Mount Adaptor*

- Allows attachment of two LCD-1 mounts (sold separately) to create side by side viewing
- Can be attached as a clamp-on or bolt through mount (with parts provided)
- Mounting pole telescopes from 18" - 24"
- Load capacity - 50 lbs
- Silver powder coat finish

Flat Panel Mount Adaptors

AP-1B *400mm x 200mm VESA Adaptor Plate*

- Adapts a VESA 200mm plate to accommodate a VESA 400mm x 200mm hole pattern
- Black powder coat finish

AP-1 *Same as above except with silver finish*

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

AP-2B *300mm x 300mm VESA Adaptor Plate*

- Adapts a VESA 200mm plate to accommodate a VESA 300mm x 300mm hole pattern
- Black powder coat finish

AR-1B *Portrait Mounting Adaptor Rails*

- Adapts a wide variety of mounting rails to accept a maximum of 650mm vertical hole patterns
- Black powder coat finish

IWB-1B *In Wall Box or Adaptor*

- Can be used as a pre-construction or retro-fit in wall box or in conjunction with the LCD-1B or the LCD-2537B for a "No Profile" flat panel installation
- Holds 15"– 32" flat panels
- Installs between 16" centers
- Integrated cable (4) and electrical knockouts (2)
- Includes black adaptors for the LCD-1B and LCD-2537B
- Load capacity – 50 lbs

IWB-1 *Same as above except with silver adaptors*

Shown with LCD-2537B (not included)

Versatile in wall box

LCD-PA *Pole Adaptor*

- For use with LCD-1 and LCD-2537
- Adapts round or square poles to accept mount
- Stainless steel straps adjust from 4" – 10"
- Silver powder coat finish

Digital Signage Mounts & Accessories

FP-LDSB *Large Flat Panel Digital Signage Mount*

- Holds 32" – 63" flat panels in portrait or landscape
- Maximum flat panel hole pattern – 810mm x 530mm (810mm x 810mm with included extensions)
- Adjustable -5° to +15° tilt lockable in 5° increments
- Sectional wall plate can be integrated with multiple FP-LDSB's to create a video wall using DS-BP
- Distance from wall to back of the flat panel – 2.5" (2.6" with extensions)
- Load capacity – 180 lbs
- Black powder coat finish

DS-CH *Digital Signage Computer or Component Holder*

- Used to securely attach a digital signage computer or other component to a wall or ceiling mount
- Attaches to mounting rails in landscape or portrait positions to better hide behind the flat panel
- Utilizes tamper resistant hardware
- Works with VMP models FP-LDSB, PDS-LC and PDS-LFT as well as other manufacturers' mounts
- Interior dimensions – 11" x 7" x 2.375"
- Black powder coat finish

DS-BP *FP-LDSB Wall Plate Extension*

- Used with the FP-LDSB to extend the wall plate 12" to add additional flat panels / Black powder coat finish

PDS-LCB *Large Flat Panel Ceiling Mount*

- Holds 37" - 70" flat panels
- Maximum flat panel hole pattern – 860mm x 500mm
- Mast telescopes 23" – 35"
- Rotates 360° / Adjustable 0° – 15° tilt
- Cable management through the center of the mast
- Load capacity - 180 lbs
- Black powder coat finish

PDS-LC *Same as above except with silver finish*

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

PDS-LCM2B

Dual Large Flat Panel Ceiling Mount Adaptor

- Holds 37" – 70" flat panels
- Adapts PDS-LCB (sold separately) to accommodate 2 flat panels
- Maximum flat panel hole pattern – 860mm x 500mm
- Rotates 360° / Adjustable 0° – 15° tilt
- Combined load capacity of PDS-LCB and PDS-LCM2B – 380 lbs
- Black powder coat finish

Shown with PDS-LCB (not included)

LCD-MID-CB *Mid-Size Flat Panel Ceiling Mount*

- Holds 27" – 42" flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Mast telescopes 23" – 35"
- Rotates 360° / Adjustable -5° to +20° tilt
- Cable management through the center of the mast
- Load capacity – 100 lbs
- Black powder coat finish

LCD-MID-C *Same as above except with silver finish*

LCD-MID-CM2B

Dual Mid-Size Flat Panel Ceiling Mount Adaptor

- Holds 27" – 42" flat panels
- Adapts LCD-MID-CB (sold separately) to accommodate 2 flat panels
- Maximum flat panel hole pattern – 410mm x 340mm
- Adjustable -5° to +20° tilt
- Combined load capacity of LCD-MID-CB and LCD-MID-CM2B – 200 lbs
- Black powder coat finish

LCD-MID-CM2 *Same as above except with silver finish*

Shown with LCD-MID-CB (not included)

Projector Mounts

PM-3 *Yokeless Projector Mount*

- Fits projectors with mounting holes inside 14.5" dia.
- Adjustable tilt - ± 20° / Adjustable pitch - ± 15°
- Adjustable yaw (rotation) - ± 180° (360°)
- Mast telescopes 18" – 30"
- Flush mount plate and mounting screws included
- Load capacity - 75 lbs / Silver powder coat finish

PM-3B *Same as above except with black finish*

PM-LP

Yokeless Low Profile Projector Mount With Cable Pass-Through

- Fits projectors with mounting holes inside 14.5" dia.
- Low 2.625" profile (includes the mounting feet)
- Adjustable tilt - ± 20° / Adjustable pitch - ± 15°
- Adjustable yaw (rotation) - ± 180° (360°)
- 1.5" NPT mast telescopes 23" – 35"
- Cable management through the center of the mast
- Flush mount plate and mounting screws included
- Load capacity - 75 lbs / Silver powder coat finish

PM-LPB *Same as above except with black finish*

PM-LPM *Yokeless Low Profile Projector Mount*

- Fits projectors with mounting holes inside 14.5" dia.
- Low 2.625" profile (includes the mounting feet)
- Adjustable tilt - ± 20° / Adjustable pitch - ± 15°
- Adjustable yaw (rotation) - ± 180° (360°)
- Cable management through the center of the mount
- Ceiling plate and mounting screws included
- Accepts standard 1.5" NPT masting
- Load capacity - 75 lbs / Silver powder coat finish

PM-LPMB *Same as above except with black finish*

PM-2 *Small Clamping Projector Mount*

- Adjustable 0° to 10° tilt / Adjustable yaw (rotation) - 360°
- Opens from 7" to 13" (left to right)
- Opens from 3" to 5.75" (top to bottom)
- Mast telescopes 18" – 30"
- Eight-point clamping mechanism adjusts from 6.5" to 10" front to back
- Flush mount plate and mounting hardware included
- Load capacity - 75 lbs / Black powder coat finish

PM-1 *Large Clamping Projector Mount*

- Adjustable 0° to 10° tilt / Adjustable yaw (rotation) - 360°
- Opens from 10" to 24" (left to right)
- Opens from 4.5" to 7.75" (top to bottom)
- Mast telescopes 18" – 30"
- Eight-point clamping mechanism adjusts from 8" to 11.75" front to back
- Integrated flush mount plate and mounting hardware included
- Load capacity - 75 lbs / Black powder coat finish

PMC-S *Small Projector Enclosure*

- Inner dimensions - 16"W x 16"D x 10"H
- Lift off lid for installation
- Easy access hinge for maintenance
- Utilizes tamper resistant screws (included)
- Adjustable front security bars for lens placement
- Accommodates PM-2, PM-3B and PM-LPB
- Black powder coat finish

Projector not included



PMC-L *Large Projector Enclosure*

- Inner dimensions - 24"W x 20"D x 13"H
- Lift off lid for installation
- Easy access hinge for maintenance
- Utilizes tamper resistant screws (included)
- Adjustable front security bars for lens placement
- Accommodates PM-1, PM-3B and PM-LPB
- Black powder coat finish

Equipment Racks & Accessories

Racks

ER-1 *19" Headend Equipment Rack – 71" Height*

- Rail height – 71"
- 40 rack spaces
- EIA compliant
- Standard 10-32 threading
- Includes 32 rack screws
- Steel construction
- Load capacity – 400 lbs evenly distributed
- Black static resistant powder coat finish

Assembly

ER-1-4PKIT *2 Post Expansion Kit For ER-1*

- Standard 10-32 threading in expansion posts
- Includes side stabilizing bars
- Steel construction
- Black static resistant powder coat finish

ER-148 *19" Headend Equipment Rack – 48" Height*

- Rail height – 48" / 27 rack spaces
- EIA compliant
- Standard 10-32 threading / Includes 32 rack screws
- Steel construction
- Load capacity – 400 lbs evenly distributed
- Black static resistant powder coat finish

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

ER-184 *19" Headend Equipment Rack – 84" Height*

- Rail height – 84"
- 45 rack spaces
- EIA compliant
- Standard 10-32 threading
- Includes 32 rack screws
- Steel construction
- Load capacity – 400 lbs evenly distributed
- Black static resistant powder coat finish

ER-184-4PKIT *2 Post Stabilization Kit For ER-184*

- Provides additional weight stabilization for ER-184
- Includes side stabilizing bars
- Steel construction
- Black static resistant powder coat finish

Assembly

ER-W24 *Swing Gate Wall Rack – 24" Height*

- 13 rack spaces / EIA compliant
- Usable depth - 19"
- Opens from either the left or the right side
- Fixed wall plate allows easy installation and removal of populated rack
- Innovative lift on/off design allows for one man install
- Standard 10-32 threading
- Steel and aluminum construction
- Load capacity – 100 lbs evenly distributed
- Black static resistant powder coat finish

ER-72 *19" Aluminum Open Frame Rack - 72" Height*

- 38 rack spaces
- EIA compliant
- Aluminum construction / Self squaring design
- Standard 10 – 32 threading
- Includes 32 rack screws
- Load capacity – 750 lbs evenly distributed
- Black powder coat finish

ER-84 *19" Aluminum Open Frame Rack - 84" Height*

- 45 rack spaces
- EIA compliant
- Aluminum construction / Self squaring design
- Standard 10 – 32 threading
- Includes 32 rack screws
- Load capacity – 750 lbs evenly distributed
- Black powder coat finish

Equipment Rack Shelves

ER-S1 *Economy Rack Shelf*

- Fits components up to 17" wide
- Two space racking height (2.6") / Tray Depth - 12.5"
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 40 lbs
- Black powder coat finish

ER-S1V *Vented Economy Rack Shelf*

- Fits components up to 17" wide
- Two space racking height (2.6") / Tray Depth - 12.5"
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 40 lbs
- Black powder coat finish

ER-S1UV *Vented One Space Rack Shelf*

- Fits components up to 17.375" wide
- One space rack height (1.75")
- Tray depth – 14.75"
- Convenient tie down slots in rear of tray
- Includes 10-32 and 12-24 rack screws
- Load capacity – 50 lbs
- Black static resistant powder coat finish

ER-S2U *Two Space Rack Shelf*

- Fits components up to 17.375" wide
- Two space racking height (3.5")
- Tray depth – 14.75"
- Convenient tie down slots in rear of tray
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 50 lbs
- Black static resistant powder coat finish

ER-S2UV *Vented Two Space Rack Shelf*

- Fits components up to 17.375" wide
- Two space racking height (3.5")
- Tray depth – 14.75"
- Convenient tie down slots in rear of tray
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 50 lbs
- Black static resistant powder coat finish



ER-S2CM *Vented Two Space Center Mount Rack Shelf*

- Fits components up to 17.375" wide
- Two space racking height (3.5")
- Tray depth – 19"
- Convenient tie down slots in front and rear of tray
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 50 lbs
- Black static resistant powder coat finish

Additional Parts

ER-8RSA *Adjustable Eight Receiver Rack Shelf*

- Accommodates up to eight receivers
- Adjusts left to right and front to back
- Includes front and top anti-roll bars
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 50 lbs
- Black powder coat finish
- *US Patent #: 7,850,022*

Additional Parts Include: Front and top anti-roll bars and additional receiver separators.

ER-SS1U *Rack Mounted Sliding Shelf – 1 Space*

- Closes flush when not in use
- Shelf "locks" into place when fully closed to prevent drifiting
- Maximum extension – 13.8"
- Tray dimension – 16.3" W x 13.8" D x 1.75" H (1 RU)
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 35 lbs
- Black static resistant powder coat finish

ER-S1U4P

Vented One Space Adjustable Four Post Rack Shelf

- Fits components up to 16.85" wide (17.4" when shelf is flipped over)
- One space rack height (1.75")
- Tray depth adjustable from 14.75" to 25"
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 200 lbs
- Black static resistant powder coat finish

ER-LCD1017 *LCD Monitor Rack Mount*

- Holds monitors 10" – 17" / 9 space racking height
- Can be inverted to hold monitors up to 23"
- Recesses monitor into rack
- Accommodates monitors with 75mm and 100mm VESA hole patterns
- Includes 10-32 and 12-24 rack screws
- Load capacity - 50 lbs
- Black static resistant powder coat finish

Equipment Rack Accessories

ER-HWB1 *Hinged Wall Bracket – 1 Space*

- Provides easy access to the back of mounted components
- Right or left hand opening / 4" depth
- Includes 10-32 and 12-24 mounting screws
- Black powder coat finish

ER-HWB2 *Hinged Wall Bracket – 2 Space*

- Provides easy access to the back of mounted components
- Right or left hand opening / 4" depth
- Includes 10-32 and 12-24 mounting screws
- Black powder coat finish

ER-DRCM1 *D-Ring Cable Manager – 1 Space*

- Large slotted metal rings manage all types and sizes of wire and cable
- Easy to install on equipment racks
- Includes 10-32 and 12-24 mounting screws
- Black powder coat finish

ER-DRCM2 *D-Ring Cable Manager – 2 Space*

- Large slotted metal rings manage all types and sizes of wire and cable
- Easy to install on equipment racks
- Includes 10-32 and 12-24 mounting screws
- Black powder coat finish

ER-CASTERS *Rack Casters*

- Heavy duty casters that attach to the ER-1, ER-148 or ER-184
- Set includes 4 casters
- Hole pattern – 2.375" x 3.375"
- Hardware to attach casters to rack included
- Maximum weight capacity of rack with casters – 400 lbs

VMP-VWS *Vented Wall Shelf*

- Internal dimensions - 20.5" W x 17" D x 17" H
- Convenient quick-slide assembly
- Five cable supply locations
- Wall or backboard mount
- Load capacity - 200 lbs
- Black static resistant powder coat finish

DVR-LB3 *Low Profile DVR / Storage Lockbox*

- Interior dimensions 17.2" W x 21" D x 5" H
- Rack mountable on 2 or 4 posts with a 3 RU overall height
- Multiple vents with removable vent blockers for active or passive thermal management
- Single fan included with mounting location for second fan
- Interlocking lift off lid
- Key locked hinged front door
- Black static resistant powder coat finish

ER-1B *Single Space Blank Panel (1.75") (Shown Top)*

- Tempered 16 gauge steel with black static resistant powder coat finish

ER-2B *Two space rack filler (3.5") (Shown Middle)*
ER-4B *Four space rack filler (7") (Shown Bottom)*
ER-8B *Eight space rack filler (14") - (Not Shown)*

ER-RS1032-50 *Rack Screws*

- 50 screws - 0.75" long with 10 – 32 threads
- Classic Phillips trim head
- Heat treated to resist stripping
- Includes nylon washers

ER-RS1032-100 *Same as above in 100 pack*

Security Mounts

DVR-LB3 *Low Profile DVR / Storage Lockbox*

- Interior dimensions 17.2" W x 21" D x 5" H
- Rack mountable on 2 or 4 posts with a 3 RU overall height / Interlocking lift off lid
- Multiple vents with removable vent blockers for active or passive thermal management
- Single fan included with mounting location for second fan / Key locked hinged front door
- Black static resistant powder coat finish

DVR-LB1 *DVR Lockbox*

- Interior dimensions 21" W x 21" D x 8" H
- Vented and includes fan for additional thermal management / Interlocking lift off lid
- Key locked hinged front door
- Black static resistant powder coat finish

DVR-LB2 *DVR Lockbox With Smoked Plexiglas® Window*

- Interior dimensions 21" W x 21" D x 8" H
- Window dimensions are 18" W x 3" H
- Window will pass IR signals
- Vented and includes fan for additional thermal management / Interlocking lift off lid
- Key locked hinged front door
- Black static resistant powder coat finish

DVR-MB1 *Mobile/Rackmount DVR Lockbox*

- Interior dimensions 17" W x 13.8" D x 3" H
- Lockbox is mountable on 4 sides for mobile applications or rack mountable with a 2U overall height
- Securing strips included for DVR in mobile applications
- Removable lid secured with tamper proof hardware
- Single fan included and mounting locations for up to four fans / Key locked hinged front door
- Multiple vents with removable vent blockers for active or passive thermal management
- Black static resistant powder coat finish

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

DVR-WA *DVR Lockbox Wall Mounting Arms*

- Works with the DVR-LB1 and DVR-LB2 to mount lockbox to 16" on center studs
- Load capacity – 50 lbs
- Black static resistant powder coat finish

LCD-PV *Public View LCD Monitor Mount Kit*

Kit Includes:

LCD-2537CB *Mid-Size Flat Panel Ceiling Mount*

- Holds 10" – 37" LCD monitors
- Modified with two mounting points for camera bracket
- Rotates 360° / Adjustable tilt -5° to +20°
- Mast telescopes 18" – 30"
- Load capacity - 75 lbs / Black powder coat finish

AK-1PT & CP-1PT *Adaptor Kit & Ceiling Plate*

- Used together, these units allow ceiling to mount extension drop distances of almost any length using standard 1.5" NPT pipe

Universal Camera Bracket

- Can be assembled into several different configurations
- Industry standard ¼" – 20 UNC threading

Parts Provided



*Camera Not Included

PMC-S *Small Projector Enclosure*

- Inner dimensions - 16"W x 16"D x 10"H
- Lift off lid for installation / Utilizes tamper resistant screws
- Easy access hinge for maintenance
- Adjustable front security bars for lens placement
- Accommodates PM-2, PM-3B and PM-LPB
- Black powder coat finish



Projector not included

PMC-L *Large Projector Enclosure*

- Inner dimensions - 24"W x 20"D x 13"H
- Lift off lid for installation / Utilizes tamper resistant screws
- Easy access hinge for maintenance
- Adjustable front security bars for lens placement
- Accommodates PM-1, PM-3B and PM-LPB
- Black powder coat finish



SCM-1 *Suspended Ceiling Adaptor*

- For use with 2′ x 2′ or 2′ x 4′ suspended ceiling grids
- Can be used with standard 1.5″ NPT pipe or VMP ceiling masts
- Includes 20 feet of tie wire
- Four integrated standard electrical KOs
- Load capacity - 75lbs / White powder coat finish

SCM-2 *Suspended Ceiling Replacement Tile*

- For use with 2′ x 2′ or 2′ x 4′ suspended ceiling grid
- Ceiling tile can be rotated for 9 possible mounting locations
- Can be used with standard 1.5″ NPT pipe or VMP ceiling masts
- Includes 30 feet of tie wire
- Four integrated standard electrical KOs
- Load capacity - 200lbs / White powder coat finish

CP-1 *Ceiling Plate For Standard 1.5″ NPT Pipe*

- Universal ceiling flange works with all manufacturers' mounting systems when using standard 1.5″ NPT pipe
- Provides base for ceiling installations
- Black powder coat finish

CP-2 *Same as above except for use with 1″ NPT pipe*

CP-1PT

Ceiling Plate For Standard 1.5″ NPT Pipe With Cable Pass-Through

- Universal ceiling flange works with all manufacturers' mounting systems when using standard 1.5″ NPT pipe
- Cable pass-through for easy cable management
- Provides base for ceiling installations
- Black powder coat finish

AK-1 *Adaptor Kit To Convert To 1.5" NPT Pipe*

- Adaptor Kit for, PM Series and LCD-2537CB to enable use with standard 1.5" NPT pipe
- Black powder coat finish

AK-2 *Adaptor Kit for VMP042/044, VMP046/048, and LCD-1CB to enable use with standard 1" NPT pipe*

AK-1PT

Adaptor Kit To Convert To 1.5" NPT Pipe With Cable Pass-Through

- Adaptor Kit for the PM Series, LCD-1CB and LCD-2537CB to enable use with standard 1.5" NPT pipe
- Cable pass-through allows cable management through center of masting

CCA-1 *Cathedral Ceiling Adaptor*

- Designed for angled ceiling installations and works with all manufacturers' mounting systems when using standard 1.5" NPT pipe
- Black powder coat finish

IBA-1 *I-Beam Adaptor*

- Adapts ceiling mounts to clamp to an I-Beam
- Works with all manufacturers' mounting systems when using 1.5" NPT pipe
- Accommodates 2.25" to 12" flange widths
- Accommodates maximum flange height of 1"
- Black powder coat finish

Mounting Accessories

UA-1 *Unistrut® Adaptor*

- Adapts ceiling mounts to work with Unistrut® up to 1.625"
- Works with all manufacturers' mounting systems when using 1.5" NPT pipe
- Black powder coat finish

EXT-A *Extension Pipe*

- Acts as an inline splice to extend drop length of LCD-2537CB and PM Series (except PM-LPB) by up to 28" (can be cut to length)
- 31" tempered steel mast / Black powder coat finish

EXT-B *Same as above except works with VMP042/044, VMP046/048 and LCD-1CB*

EXT-1830 *1.5" NPT Telescoping Extension – 18" to 30"*

- Works with any manufacturers' ceiling mounts which use 1.5" NPT pipe
- Works with VMP ceiling mounts that have been adapted to use 1.5" NPT pipe
- Adjustable from 18" to 30" / Black powder coat finish

EXT-4872 *Same as above except adjustable from 48" to 72"*
EXT-0609 *Same as above except adjustable from 6" to 9"*

SCFR-1 *Suspended Ceiling Finishing Ring Kit*

- Finishing ring to clamp around 1.5" NPT pipe
- Includes an adaptor for VMP ceiling masts that are not 1.5" NPT pipe / Chrome finish

VMP-STRAP *Safety/Security Strap*

- 1" width by 10' length / Sturdy woven nylon blend construction
- Saw tooth cinching buckle / Black, white or silver (specify color)

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

CH-001B *Wall Mount Electronic Component Shelf*

- Can be used for holding a single device or "stacked" for multiple components such as DVD players, CD players, DVRs, and HD receivers
- Shelf dimensions – 13" W x 11" D
- Black tempered glass shelf
- Can be used in conjunction with any TV wall mount to design an entertainment center
- Load capacity – 25 lbs / Black powder coat finish

VH-003 *Wall Mount Electronic Component Holder*

- Can be used for holding a single device or "stacked" for multiple components such as DVD players, CD players, DVRs, and HD receivers
- Mounting ring extends 12" from the wall
- Can be used in conjunction with any TV wall mount to design an entertainment center
- Load capacity – 25 lbs / Black powder coat finish

VH-003S *Same as above except silver finish*

VH-005B *Pipe/Ceiling Mast Electronic Component Holder*

- Works with all manufacturers' ceiling mounts using masting from 1" to 2" O.D.
- Accommodates DVD players, CD players, DVR's, HD receivers, and other electronic components
- Includes decorative plastic covers (not shown)
- Mounting "U" tray extends 13" from the pipe
- Load capacity – 25 lbs / Black powder coat finish

VH-005 *Same as above except silver finish*

« Pipe not included

VH-001 *DVD/DVR/Satellite Receiver Holder*

- Holds DVD players, satellite receivers and DVRs
- Opens 1.83" to 5.25" (top to bottom)
- Opens 10.4" to 17.125" (left to right)
- Height: 5.875" (inside to inside) / Black powder coat finish

VH-001S *Same as above except silver finish*

Shown with LCD-1C and VH-001S (not included)

VH-004 *Flat Panel Ceiling Mount Adaptor For VH-001*

- Allows VH-001 to be hung below VMP's flat panel ceiling mounts
- Drop adjustment of 6" to 17"
- Silver powder coat finish

VH-004B *Same as above except black finish*



VH-002 *Add On Holder For VH-001B*

- Allows a second device (DVD player, satellite receiver, digital cable box) to be attached to the VH-001
- Black powder coat finish

AP-1B *400mm x 200mm VESA Adaptor Plate*

- Adapts a VESA 200mm plate to accommodate a VESA 400mm x 200mm hole pattern
- Black powder coat finish

AP-1 *Same as above except with silver finish*

AP-2B *300mm x 300mm VESA Adaptor Plate*

- Adapts a VESA 200mm plate to accommodate a VESA 300mm x 300mm hole pattern
- Black powder coat finish

AR-1B *Portrait Mounting Adaptor Rails*

- Adapts a wide variety of mounting rails to accept a maximum of 650mm vertical hole patterns
- Black powder coat finish

IWB-1B *In Wall Box or Adaptor*

- Can be used as a pre-construction or retro-fit in wall box or in conjunction with the LCD-1B or the LCD-2537B for a "No Profile" flat panel installation
- Holds 15"– 32" flat panels
- Installs between 16" centers
- Integrated cable (4) and electrical knockouts (2)
- Includes black adaptors for the LCD-1B and LCD-2537B
- Load capacity – 50 lbs

IWB-1 *Same as above except with silver adaptors*

Shown with LCD-2537B (not included)

Versatile in wall box

LCD-PA *Pole Adaptor*

- For use with LCD-1 and LCD-2537
- Adapts round or square poles to accept mount
- Stainless steel straps adjust from 4" – 10"
- Silver powder coat finish

LVMP-1 *Low Voltage Mounting Plate*

- Eliminates the need for an electrical junction box
- Perfect for low voltage class 2 wiring
- Works with ½" – 1¼" walls
- Installs with a screwdriver and a drywall saw
- Mounts any standard low voltage device
- Mounting screws included

Satellite Equipment & Accessories

FRM Series *Non-Penetrating Roof Mounts*

- Non-penetrating roof mounts are constructed of steel and use standard concrete blocks to anchor.
- For use with DBS, off-air antenna, satellite internet systems, and point to point CCTV signal transmission
- Dark gray weather resistant powder coat finish

FRM-125 *60" mast with 1.25" O.D.*
FRM-166 *30" mast with 1.66" O.D.*
FRM-200 *30" mast with 2" O.D.*
FRM-MAT *Rubber Mat (Placed under mount)*

FRMA *Adaptor For FRM Mounts*

- Adapts FRM-200 mount (2" OD masting) to 2.375" OD masting
- Dark gray weather resistant powder coat finish

PRM-2 *Non-Penetrating Pitched Roof Mount*

- Accommodates 18" and 24" DBS/DSS dishes
- Holds up to eleven 8" x 8" x 16" standard concrete blocks to anchor or comes with pitch pad kit
- Adjustable dish mounting plate
- Heavy duty steel construction
- Dark gray weather resistant powder coat finish

TR Series *Heavy Duty Tripods*

- Tripods hold masts up to 1.75" OD
- Includes a pitch pad kit, a universal mast clamp and has installer friendly front facing feet

TR-36 *36" heavy duty tripod*
TR-60 *60" heavy duty tripod*

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

WB-6 *6" Wall Mount*

- "U" bolt mast holder with 6" clearance
- Accommodates 1.25" to 1.66" antenna or DBS pipe
- Sold in pairs

BR-4XD *Heavy Duty 4" Wall Mount*

- Accommodates 1" to 2.25" antenna or DBS pipe
- 3" clearance
- Sold in pairs

P-6 *Vent Pipe Mount*

- Mounting attachment for vent pipes 2.75" to 5" O.D.
- Accommodates 1" to 2" antenna or DBS pipe
- Sold in pairs



Y-MOUNT *"Y" Type Chimney Mount*

- Accommodates 1.25" to 1.66" antenna or DBS pipe
- Includes 0.75" by 18' anodized steel straps
- Sold in pairs

Z-MOUNT *"Z" Type Chimney Mount*

- Accommodates 1.25" to 1.66" antenna or DBS pipe
- Includes 0.75" by 18' anodized steel straps
- Sold in pairs

Satellite Equipment & Accessories

GEM-4060 *Adjustable Gable End Antenna Mount*

- Mounting bracket adjusts from 40" to 60" (left to right)
- Holds up to a 1.5" antenna mast

GEM-1 *DBS Gable Mount*

- Accommodates the mounting of a DBS dish on a gable end or eve
- Adjustable - ± 45°



GU-3 *Swivel Bracket*

- Wall bracket mounts antenna or DBS pipe 3" off wall
- Accommodates 1.25" to 3" antenna or DBS pipe

SM-1 *DBS Siding Mount*

- Accommodates the mounting of a DBS dish on house siding and creates a flat mounting platform for the DBS foot plate by nesting against the siding
- Constructed of heavy duty "DBS gray" plastic

ER-1 *19" Headend Equipment Rack – 71" Height*

- Rail height – 71"
- 40 rack spaces
- EIA compliant
- Standard 10-32 threading
- Includes 32 rack screws
- Steel construction
- Load capacity – 400 lbs evenly distributed
- Black static resistant powder coat finish

ER-S1 *Economy Rack Shelf*

- Fits components up to 17" wide
- Two space racking height (2.6")
- 12.5" tray depth
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 40 lbs / Black powder coat finish

ER-S1V *Vented Economy Rack Shelf*

- Fits components up to 17" wide
- Two space racking height (2.6")
- Tray Depth - 12.5"
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 40 lbs
- Black powder coat finish

ER-8RSA *Adjustable Eight Receiver Rack Shelf*

- Accommodates up to eight receivers
- Adjusts left to right and front to back
- Includes front and top anti-roll bars
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 50 lbs
- Black powder coat finish
- *US Patent #: 7,850,022*

Additional Parts Include: Front and top anti-roll bars and additional receiver separators.

Additional Parts



ER-SS1U *Rack Mounted Sliding Shelf – 1 Space*

- Closes flush when not in use / Shelf "locks" into place when fully closed to prevent drifiting
- Maximum extension – 13.8"
- Tray dimension – 16.3" W x 13.8" D x 1.75" H (1 RU)
- Includes 10-32 and 12-24 mounting screws
- Load capacity – 35 lbs
- Black static resistant powder coat finish

DLP Mounts & Turntables

DLP-2 *DLP Television Wall Mount*

- Unique 3 bracket system provides under and/or over mounting for DLP TVs
- Adjusts from 14" – 20" front to back
- Includes anti-skid pads
- Low profile hideaway design
- Load capacity – 125 lbs
- Black powder coat finish

TT-Series *Television/Flat Panel Turntable Series*

TT-13 *Small Television/Flat Panel Turntable*
- Platform width 15" / depth 12"
- Load capacity – 60 lbs

TT-20 *Medium Television/Flat Panel Turntable*
- Platform width 20" / depth 15"
- Load capacity – 75 lbs

TT-27 *Large Television/Flat Panel Turntable*
- Platform width 26" / depth 16"
- Load capacity – 125 lbs

TT-32 *Mega Television/Flat Panel Turntable*
- Platform width 32" / depth 18"
- Load capacity – 200 lbs

TT-LCD20B *Flat Panel Turntable*

- Platform width 20" / depth 14"
- Load capacity – 75 lbs
- Black finish

TT-LCD20S *Same as above except with silver finish*

TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615 WEBSITE WWW.VIDEOMOUNT.COM

SP-200W *Multi-Configurable Speaker Mount*

- Virtually limitless number of configurations for the wall or ceiling and full range of tilt, twist and swivel
- Mounts on back of speaker
- Load capacity - 12 lbs
- High impact plastic / White finish / Sold in pairs

SP-200B *Same as above except with black finish*

SP-001 *Speaker Wall/Ceiling Mount*

- Swivels 180° / Twists 180°
- Load capacity – 10 lbs
- Black powder coat finish / Sold in pairs

SP-007 *Speaker Wall Mount*

- Swivels 180° / Plate size 6" x 6"
- Load capacity – 12 lbs
- Black powder coat finish / Sold in pairs

SP-010 *Adjustable Speaker Wall Mount*

- Adjusts to fit 7" to 12" depth speakers
- Swivels 135° / Adjustable tilt 0° to 20°
- Load capacity – 20 lbs
- Black powder coat finish / Sold in pairs

SP-013 *Speaker Wall Mount*

- Swivels 135° / Adjustable tilt 0° to 20°
- Plate size – 6" x 6" / Sold in pairs
- Load capacity – 10 lbs / Black powder coat finish

RESOURCES

Subscribe to our Monthly Newsletter...

Its EASY! Scan this code or visit us online and learn about the latest in mounting technology, special tradeshow give-aways, and more about what's going on at VMP!

Our staff is your number one resource.
Call our toll free line and speak directly to one of our team members:
877.281.2169

On the go?
Download the VideoMount Finder™ app for your iPhone, Blackberry or Android at:
www.videomount.com

Need help choosing the right mount for your application?
Check out this innovative tool at:
www.chooseamount.com

Find us on Facebook!
Find us on Facebook, and stay up to date with new products, what shows you can visit us at, and much more.

Video Mount Products is an active member of INFOCOMM iQ.
Join VMP at: http://catalogs.infocommiq.com

NOTES

A

AK-1 31
AK-1PT 31
AK-2 31
AP-1 14,34
AP-1B 14,34
AP-2B 15,34
AR-1B 15,35

B

BR-4XD 37

C

CCA-1 31
CH-0018 33
CP-1 30
CP-1PT 30
CP-2 30

D

DLP-2 40
DS-BP 16
DS-CH 16
DVR-LB1 28
DVR-LB2 28
DVR-LB3 27,28
DVR-MB1 28
DVR-WA 29

E

ER-1 20,38
ER-148 20
ER-1-4PKIT 20
ER-184 21
ER-184-4PKIT 21
ER-1B 27
ER-2B 27
ER-4B 27
ER-8B 27
ER-72 22
ER-84 22
ER-8RSA 24,39
ER-CASTERS 26
ER-DRCM1 26
ER-DRCM2 26
ER-HWB1 25
ER-HWB2 25
ER-LCD1017 12,25
ER-RS1032-50 27
ER-RS1032-100 27

E cont'd

ER-S1 22,39
ER-S1U4P 25
ER-S1UV 23
ER-S1V 22,39
ER-S2CM 24
ER-S2U 23
ER-S2UV 23
ER-SSIU 24,39
ER-W24 21
EXT-0609 32
EXT-1830 32
EXT-4872 32
EXT-A 32
EXT-B 32

F

FP-LDSB 6,16
FP-LF 4
FP-LFB 4
FP-LFV 4
FP-LFVB 4
FP-MF 5
FP-MFB 5
FP-MFTB 7
FP-MWAB 8
FP-SFB 5
FP-SFT 7
FP-SFTB 7
FP-XMF 4
FP-XMFB 4
FP-XMFT 6
FP-XMFTB 6
FP-XMWAB 8
FRMA 36
FRM-MAT 36
FRM-Series 36
FRM-125 36
FRM-166 36
FRM-200 36

G

GEM-1 38
GEM-4060 38
GU-3 38

I

IBA-1 31
IWB-1 15,35
IWB-1B 15,35

L

LCD-1 9
LCD-1B 9
LCD-1C 11
LCD-1CB 11
LCD-1CW 11
LCD-2 12
LCD-2B 12
LCD-2537 9
LCD-2537B 9
LCD-2537C 11
LCD-2537CB 11
LCD-CM2 13
LCD-DM2 14
LCD-MID-C 10,17
LCD-MID-CB 10,17
LCD-MID-CHB 10
LCD-MID-CM2 13,17
LCD-MID-CM2B 13,17
LCD-MID-F 5
LCD-MID-FB 5
LCD-MID-FT 7
LCD-MID-FTB 7
LCD-PA 15,35
LCD-PV 29
LCD-UC1 12
LCD-WM2 14
LVMP-1 35

P

P-G 37
PDS-LC 10,16
PDS-LCB 10,16
PDS-LCM2B 13,17
PDS-LFT 6
PDS-LFTB 6
PDS-LWA 8
PDS-LWAB 8
PM-1 19
PM-2 19
PM-3 18
PM-3B 18
PMC-L 19,29
PMC-S 19,29
PM-LP 18
PM-LPB 18
PM-LPM 18
PM-LPMB 18
PRM-2 36

S

SCFR-1 32
SCM-1 30
SCM-2 30
SM-1 38
SP-001 41
SP-007 41
SP-010 41
SP-013 41
SP-200W 41
SP-200B 41

T

TR-Series 36
TR-36 36
TR-60 36
TT-13 40
TT-20 40
TT-27 40
TT-32 40
TT-LCD20B 12,40
TT-LCD20S 12,40

U

UA-1 32

V

VH-001 33
VH-001S 33
VH-002 34
VH-003 33
VH-003S 33
VH-004 34
VH-004B 34
VH-005 33
VH-005B 33
VMP-STRAP 32
VMP-VWS 26

W

WB-G 37

Y

Y-MOUNT 37

Z

Z-MOUNT 37

Satellite & Antenna Mounts Flat Panel Mounts Digital Signage Mounts Projector Mounts Equipment Racks & Accessories

VMP
VIDEO MOUNT PRODUCTS

VIDEO MOUNT PRODUCTS
345 LOG CANOE CIRCLE STEVENSVILLE, MD 21666
TOLL FREE 877.281.2169 TELEPHONE 410.643.6390 FACSIMILE 410.643.6615
WWW.VIDEOMOUNT.COM | WWW.CHOOSEAMOUNT.COM